Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 2/3/2017 Revision date: 3/05/2020 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product name : Titan LS-10 / Titan Tip Cleaner / Wagner Easy Clean Product code (Titan LS-10) : 314-482, 314-483, 0516749, 0521418, 2412657

Product code (Titan Tip Cleaner) : 314-207

Product code (Wagner Easy Clean) : 0508620, 0508281, 2412656

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 1.2.1.

Intended for general public

Main use category : Consumer use. Industrial use.

: Pressure Washer Cleaning Compound Use of the substance/mixture

Uses advised against 1.2.2.

No additional information available

Details of the supplier of the safety data sheet

Manufacturer D.K. Rosedale LLC 9316 Nicollet Ave. 55420 Bloomington, Minnesota

T 612-741-6441

Distributor

J. Wagner GmbH Otto-Lilienthal-Str. 18 88677 Markdorf Germany

T 0049 7544 505-0

1.4. **Emergency telephone number**

Emergency number : n° ORFILA (INRS) 01 45 42 59 59

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

P101 - If medical advice is needed, have product container or label at hand. Precautionary statements (CLP)

P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Unknown acute toxicity (CLP) - SDS : 38% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

20% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation)

3/05/2020 EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Unknown hazards to the aquatic environment

(CLP)

: Contains 5% of components with unknown hazards to the aquatic environment

Child-resistant fastening : Not applicable
Tactile warning : Not applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	15 - 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Water Disclosure necessary for safe use	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	15 - 40	Not classified.
Glycerin Disclosure necessary for safe use	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	5 - 15	Not classified.
1,2-Propanediol Disclosure necessary for safe use	(CAS-No.) 57-55-6 (EC-No.) 200-338-0	5 - 15	Not classified.
Dipotassium phosphate Disclosure necessary for safe use	(CAS-No.) 7758-11-4 (EC-No.) 231-834-5	1 - 5	Not classified.
Isopropyl alcohol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	0.5 - 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

First-aid measures after eye contact

: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause respiratory tract irritation.

Symptoms/effects after skin contact

: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

SKII

Symptoms/effects after eye contact

: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion

: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water fog. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

3/05/2020 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

For containment

: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

6.4. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl alcohol (64-17-5)			
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³	
United Kingdom	WEL TWA (ppm)	1000 ppm	
United Kingdom	WEL STEL (mg/m³)	5760 mg/m³ (calculated)	
United Kingdom	WEL STEL (ppm)	3000 ppm (calculated)	
Glycerin (56-81-5)			
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (mist)	
United Kingdom	WEL STEL (mg/m³)	30 mg/m³ (calculated-mist)	
1,2-Propanediol (57-55-6)			
United Kingdom	WEL TWA (mg/m³)	474 mg/m³ (total particulates and vapour) 10 mg/m³ (particulates)	
United Kingdom	WEL TWA (ppm)	150 ppm (total particulates and vapour)	
United Kingdom	WEL STEL (mg/m³)	1422 mg/m³ (calculated-total particulate and vapour) 30 mg/m³ (calculated-particulate)	
United Kingdom	WEL STEL (ppm)	450 ppm (calculated-total particulate and vapour)	
Isopropyl alcohol (67-63-0)			
United Kingdom	WEL TWA (mg/m³)	999 mg/m³	
United Kingdom	WEL TWA (ppm)	400 ppm	
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³	
United Kingdom	WEL STEL (ppm)	500 ppm	

3/05/2020 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Hand protection:

Wear suitable gloves.

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Maintain levels below Community environmental protection thresholds.

Other information:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Clear liquid.Colour: GreenOdour: Odourless

Odour threshold : No data available

pH : 10

: No data available Relative evaporation rate (butylacetate=1) Melting point : -2 °C (28 °F) Freezing point : -28 °C (-20 °F) Boiling point : > 92 °C (> 198 °F) : > 71 °C (> 160 °F) Flash point Auto-ignition temperature No data available : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20 °C No data available

Relative density : 0.19

Solubility : No data available Partition coefficient n-octanol/water : No data available Viscosity, kinematic No data available : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties 2.6 vol % Lower explosive limit (LEL) Upper explosive limit (UEL) : 12.5 vol %

9.2. Other information

% solids : 2.0 % (weight) VOC : > 10% (Volume)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

3/05/2020 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

Acute toxicity (illinatation)	. Not classified.		
Titan LS-10 / Titan Tip Cleaner / Wagner Easy Clean			
LD50 oral rat	> 2000 mg/kg (Calculated Acute Toxicity Estimate)		
LD50 dermal rabbit	> 2000 mg/kg (Calculated Acute Toxicity Estimate)		
LC50 inhalation rat	> 20 mg/l/4h (Calculated Acute Toxicity Estimate)		
Ethyl alcohol (64-17-5)			
LD50 oral rat	7060 mg/kg		
LC50 inhalation rat	124.7 mg/l/4h		
Water (7732-18-5)			
LD50 oral rat	> 90 ml/kg		
Glycerin (56-81-5)			
LD50 oral rat	12600 mg/kg		
LD50 dermal rabbit	> 10 g/kg		
LC50 inhalation rat	> 570 mg/m³ (Exposure time: 1 h)		
1,2-Propanediol (57-55-6)			
LD50 oral rat	20 g/kg		
LD50 dermal rabbit	20800 mg/kg		
Isopropyl alcohol (67-63-0)			
LD50 oral rat	5045 mg/kg		
LD50 dermal rabbit	4059 mg/kg		
LC50 inhalation rat	C50 inhalation rat 72600 mg/m³ (Exposure time: 4 h)		

Unknown acute toxicity (CLP) - SDS : 38% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

20% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation)

Skin corrosion/irritation : Not classified.

pH: 10

Additional information : Based on available data, the classification criteria are not met.

Serious eye damage/irritation : Causes serious eye irritation.

pH: 10

Respiratory or skin sensitisation : Not classifie

Additional information : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Carcinogenicity : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Reproductive toxicity : Not classified.

Additional information : Based on available data, the classification criteria are not met.

STOT-single exposure : Not classified.

Additional information : Based on available data, the classification criteria are not met.

3/05/2020 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Aspiration hazard : Not classified.

Additional information : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Unknown hazards to the aquatic environment

: Contains 5% of components with unknown hazards to the aquatic environment

(CLP)

Acute aquatic toxicity : Not classified.
Chronic aquatic toxicity : Not classified.

Ethyl alcohol (64-17-5)		
LC50 fish 1	11200 mg/l	
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	5463 mg/l	
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
ErC50 (algae)	1000 mg/l	
NOFC chronic crustacea	9.6 mg/l	

Glycerin (56-81-5) LC50 fish 1 51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
		51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

1,2-Propanediol (57-55-6)		
LC50 fish 1 51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
LC50 fish 2	41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 96h algae (1)	19000 mg/l (Species: Pseudokirchneriella subcapitata)	

	3. (-)
Isopropyl alcohol (67-63-0)	
LC50 fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	> 1000 mg/l (Species: Desmodesmus subspicatus)
EC50 96h algae (1)	> 1000 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

Titan LS-10 / Titan Tip Cleaner / Wagner Easy Clean	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Titan LS-10 / Titan Tip Cleaner / Wagner Easy Clean		
Bioaccumulative potential	Not established.	
Ethyl alcohol (64-17-5)		
Partition coefficient n-octanol/water	-0.32	
Glycerin (56-81-5)		
BCF fish 1	(no bioaccumulation)	
Partition coefficient n-octanol/water	-1.76	
1,2-Propanediol (57-55-6)		
BCF fish 1	<1	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water	0.05 (at 25 °C)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

3/05/2020 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : This material

This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

In In accordance with ADR / IATA

14.1. UN number

UN-No. (ADR) : Not regulated UN-No. (IATA) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated Proper Shipping Name (IATA) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated Packing group (IATA) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

- Overland transport

Not regulated

- Air transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance.

Contains no REACH Annex XIV substances

Product does not contain any constituents listed in Regulation (EC) No 648/2004.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Transport Information

3/05/2020 EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2 Flammable liquids, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336 May cause drowsiness or dizziness.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

 <u> </u>		
Eye Irrit. 2	H319	Concentration limits

SDS EU (REACH Annex II)_NEXREG_NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

3/05/2020 EN (English) 8/8